

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

Extended Atmospheres of Outer Planet Satellites
and Comets

(NASA-CR-174338) EXTENDED ATMOSPHERES OF
OUTER PLANET SATELLITES AND COMETS Interim
Report, Aug. - Oct. 1984 (Atmospheric and
Environmental Research) 7 p HC A02/MF A01

N85-17916

Unclass
CSCL 03B G3/91 01409

William H. Smyth and
Michael R. Combi

Atmospheric and Environmental Research, Inc.
840 Memorial Drive
Cambridge, MA 02139

December 1984

Interim Report for the Period
August 1, 1984 to October 31, 1984

Prepared for
NASA Headquarters

TECHNICAL REPORT STANDARD TITLE PAGE

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Extended Atmospheres of Outer Planet Satellites and Comets		5. Report Date December 1984	
		6. Performing Organization Code	
7. Author(s) William H. Smyth and Michael R. Combi		8. Performing Organization Report No.	
9. Performing Organization Name and Address Atmospheric and Environmental Research, Inc. 840 Memorial Drive Cambridge, Massachusetts 02139		10. Work Unit No.	
		11. Contract or Grant No. NASW-3966	
12. Sponsoring Agency Name and Address NASA Headquarters Headquarters Contract Division Washington, DC 20546		13. Type of Report and Period Covered Interim Report August - October 1984	
		14. Sponsoring Agency Code HW-2	
15. Supplementary Notes			
16. Abstract <p>The new cometary hydrogen particle-trajectory model, completed last year, has been used successfully to analyze observations of Comet P/Encke. The Pioneer Venus Orbiter Ultraviolet Spectrometer observed the comet at 1216Å (hydrogen Lyman-α) on 15 April 1984, when the comet was .58 AU from the Sun and 1.02 AU from Venus. The analysis implies a production rate at .58 AU of $3.3 \times 10^{28} \text{ s}^{-1}$ of the water molecules which photodissociate to produce the observed hydrogen.</p>			
17. Key Words (Selected by Author(s)) satellites comets		18. Distribution Statement	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 6	22. Price*

*For sale by the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia 22151.

I. Program of Research for the First Quarter

Research activities during the first quarter have concentrated on the cometary portion of this project. A collaborative effort with A.I.F. Stewart from LASP of the University of Colorado has been established for analyzing cometary observations made with the Pioneer Venus Orbiter Ultraviolet Spectrometer. The AER particle-trajectory model is ideally suited to analyzing this type of data.

Analysis of Pioneer Venus Observations of Comet P/Encke

The Pioneer Venus Orbiter Ultraviolet Spectrometer (PVOUS) observed Comet P/Encke at 1216 Å (hydrogen Lyman- α) on 15 April 1984, when the comet was 0.58 AU from the Sun and 1.02 AU from Venus. The field of view of the instrument made 270 passes across the coma, taking samples every 4.9×10^5 km along a swath whose width was 3.7×10^6 km. The path of the swath made an angle of about 42° with the comet-sun line as projected on the sky plane. The maximum observed signal was 1.30 kR, including an interplanetary background of 0.43 kR. The distortion of the hydrogen coma due to solar radiation pressure was evident. The fully calibrated and reduced data were provided to us by A.I.F. Stewart.

These data have been analyzed with the AER particle-trajectory model based on the production of H atoms by photodissociation of H_2O and OH. This model, developed under previous NASA contracts, calculates exact atom trajectories in three dimensions taking into account both variable solar radiation pressure and solar gravity, and includes the fully time-dependent spatially extended random ejection directions of photodissociated atoms and radicals.

Table 1 lists the numerical parameters of the model run appropriate to the P/Encke observations. The photodecay lifetimes shown in Table 1 are varied appropriately as the square of the heliocentric distance, and the initial H_2O velocity is given in the model as $0.58 r_H^{-1/2} \text{ km s}^{-1}$ (Delsemme 1982). The shape of the solar Lyman- α profile used both for the radiation pressure acceleration as well as for the Lyman- α emission rate, both of which are heliocentric velocity dependent, was taken from Lemaire et al. (1978). The absolute solar Lyman- α emission rate at the time of the observation was provided by Stewart (1984) from Solar Mesospheric Explorer data. The H_2O production rate was assumed to vary as the inverse square of the heliocentric

Table 1

NUMERICAL MODEL PARAMETERS
($R_H = 0.58 \text{ AU}$)

$T(H_2O)$	=	$2.9 \times 10^4 \text{ s}$
$T(OH)$	=	$9.6 \times 10^4 \text{ s}$
$T(H)$	=	$3.4 \times 10^5 \text{ s}$
$V(H_2O)$	=	0.76 km/s
$V(OH)$	=	1.8 km/s
$V(H)$	=	$8, 20 \text{ km/s}$
VENUS-COMET-SUN ANGLE	=	43.8°
G-FACTOR	=	$3.74 \times 10^{-3} \text{ photons/atoms/s}$
$Q(H_2O)$	\sim	R_H^{-2}

distance of the comet, as is appropriate for comet-sun distances ≤ 0.7 AU (Delsemme 1976).


Figure 1 shows a comparison of the observed Lyman- α scans with the modeled scan. The model output includes the trapezoidal slit function appropriate to the PVOUS data. The model analysis implies a water production rate of 3.3×10^{28} molecules s^{-1} from Comet P/Encke at the time of the observation. This value is in very good agreement with the OH production rates of P/Encke measured and compiled by A'Hearn, Feldman and Stewart (1984). These results were presented at the meeting of the Division of Planetary Sciences of the American Astronomical Society in Kona, Hawaii in October (Combi, Stewart and Smyth 1984).

II. Program of Research for the Second Quarter

Research activities during the second quarter in the area of comets will concentrate on initial steps toward the development of the carbon and oxygen models and writing a paper with A.I.F. Stewart on the PVOUS Comet P/Encke observations. Initial development of the carbon and oxygen models will entail an evaluation of the photochemistry of CO_2 , CO and H_2O relating to the production of C and O atoms.

Research activities in the Saturn system will be continued in the second quarter. The Titan hydrogen torus model, which was improved to include the spatial lifetime of H atoms in the Saturn magnetosphere last year, will undergo further testing in preparation for modeling the Lyman- α data acquired by the Voyager 1 UVS instrument. This Lyman- α data is currently being properly formatted by D.E. Shemansky, with whom a collaborative effort has been established, for use in this modeling analysis.

SCAN #1



SCAN #2




Figure 1. Model-Data Comparison for Pioneer Venus Observations of Hydrogen Lyman- α in Comet P/Encke.

The two scans taken six hours apart on 15 April 1984 are shown as the crosses in the plots above. The solid lines are for the best fit particle-trajectory model run as discussed in the text.

References

- A'Hearn, M.F., P.A. Feldman and A.I.F. Stewart, 1984, Bull. A.A.S., 16, 638.
- Combi, M.R., A.I.F. Stewart and W.H. Smyth, 1984, Bull. A.A.S., 16, 638.
- Delsemme, A.H., 1976, "Comet Kc outek" edited by G.A. Gary, NASA SP-355, 195.
- Delsemme, A.H., 1982, "Comets" edited by Laurel L. Wilkening, University of Arizona Press, Tucson, Arizona, 85.
- Lemaire, P., J. Chanan, A. Jouchous, A. Vidal-Madjar, G.E. Antzner, J.C. Vidal, R.M. Bonnet and A. Skumanich, 1978, Ap. J. Lett., 223, L55.